


On-Site Emergency Mock Drill

Division : SID II (Axis 1 & 2)

Location : Dust Shuttling Chamber.

Date : 27.09.2014

Time : 11.40 AM



Scenario Considered for Emergency Declaration :

There was a drop of hot dust from the Dust Settling Chamber & due to this hot dust, the LPG cylinder which being used near the DSC caught fire. Due to this workers who were working at the DSC platform & nearby area were exposed to fire. Four workers out of six workers presumed to be sustained burn injury. The fire to LPG near DSC & injuries to the worker forced to declare an emergency.

Other workers out of six, immediately conveyed the message to shift in-charge. Shift in-charge passed on message to control room. Control Room person with the consent of emergency controller, declared an emergency.

Immediately emergency was declared to evacuate and rescue the trapped people & also to bring an emergency in to normalcy.

All teams i.e. Rescue Team, Isolation Team, Fire Fighting Team, First Aid/Ambulance Team & Security Team were summoned to the site and all teams acted to control the emergency.

Jam Collapsed at Dust Shuttling Chamber (DSC)



Victims near by area



Victims at DSC Platform



Witnesses Informing to shift in-charge



Emergency Controller arriving to the spot



After Emergency siren, workers are moving to assembly point



All teams (First Aid, Rescue, Isolation, Fire Fighting) are rushed to report emergency controller



Fire Fighting team moving to the spot of incident



Victims are being rescued by rescue team



Fire Extinguishing by the fire fighting team



Security team has barricaded the roads to prevent vehicle & men movement



Ambulance & Fire tender arrived to the location



Fire Fighting



Covering the fired LPG cylinder



First Aid is being given on site by First Aid team before the arrival of Ambulance



Ambulance carrying the victims



All teams reporting to Emergency Controller



All teams reporting to Emergency Controller



Workers are moving back to their work locations after all clear siren




Asst. Manager-HSE briefing about the emergency scenario, DO'S & DON'T'S



All Team members participated in mock drill





THANK YOU